

Office: +972-3-9027080 Fax: +972-3-9027077 17 Hamelacha St.

משרד: 972-3-9027080 +972-3-9027077 17 המלאכה דר ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



INESTICK Rosh Ha'ain 4809144, Israel זען 4809144, ישראל, 4809144, Israel זען 4809144, vigit of the state o

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2022 Revision date: 01/12/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Joe's ceramic Lube (Drop) For Dry Conditions

Product Number: #47801 EC-Number: Not Relevant CAS-Number: Not Relevant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Most advanced tire flats prevention fluid.

1.3 Details of the supplier of the safety data sheet

Company: Adhestick Innovations Ltd.

17 Hamelacha St., Afek Ind. Park

Rosh Ha'ain, 4809144

ISRAEL

 Telephone:
 +972-3-9027080

 Fax:
 +972-3-9027077

 E-mail:
 Info@adhestick.com

1.4 Emergency telephone number

Emergency Phone Number: +972-3-9027080

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

This material is classified as hazardous, according to Regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard statement(s): None.

Precautionary statement(s):

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties or is not identified as having endocrine disrupting properties in



משרד: 972-3-9027080 +972-3-9027077 17 המלאכה דר ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



Joe's ceramic Lube (Drop) For Dry Conditions

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2022 Revision date: 01/12/2022

accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not Relevant.

3.2 Hazardous ingredients according to Regulation (EC) No 1272/2008

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media

No special notes.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel



+972-3-9027080 משרד: +972-3-9027077 פקס: 17 המלאכה 17 רח' המלאכה ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



Joe's ceramic Lube (Drop) For Dry Conditions

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2022 Revision date: 01/12/2022

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

6.1.2 For emergency personnel

Keep unnecessary people away, isolate hazard area and deny entry.

6.2 Environmental precautions

Do not let product enter drains

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- **7.1.1** Avoid contact with skin and eyes.
- **7.1.2** Avoid inhalation of vapor or mist. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No data available.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.2.2 Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves must satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.2.3 Environmental exposure controls



משרד: 972-3-9027080 +972-3-9027077 מקס: 17 המלאכה 17 המלאכה ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



Joe's PTFE Lube (Drop) For Dry Conditions

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2022 Revision date: 01/12/2022

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form: Liquid
Color: Yellow
Characteristic
No Data
Not relevant
Not Flammable
Not relevant
Not relevant
Not relevant
No Data
No Data
130-135 mm ² /s
Not Relevant
No Data
Not Relevant
0.80-0.82 [g/cm3]
No Data
No Data

9.2 Other safety information

No further information.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data.

10.4 Conditions to avoid

No data.

10.5 Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information



משרד: 972-3-9027080 +972-3-9027077 בקס: רח' המלאכה 17 רח' המלאכה 4809144 ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



Joe's PTFE Lube (Drop) For Dry Conditions

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2022 Revision date: 01/12/2022

11.1 Information on toxicological effects

Acute toxicity

No Data.

Skin corrosion/irritation

No Data.

Serious eye damage/eye irritation

No Data.

Respiratory or skin sensitization

No Data.

Germ cell mutagenicity

No Data.

Carcinogenicity

No Data

Reproductive toxicity

No Data.

Specific target organ toxicity - single exposure

No Data.

Specific target organ toxicity - repeated exposure

No Data.

Aspiration hazard

No Data.

Additional Information

11.2 No data available.



משרד: 972-3-9027080 +972-3-9027077 בקס: רח' המלאכה 17 רח' המלאכה לאשר העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



Joe's PTFE Lube (Drop) For Dry Conditions

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2022 Revision date: 01/12/2022

SECTION 12: Ecological information

12.1 Toxicity

No Data.

12.2 Persistence and degradability

No Data.

12.3 Bioaccumulative potential

No Data.

12.4 Mobility in soil

No Data.

12.5 Results of PBT and vPvB assessment

No Data.

12.6 Other adverse effects

No Data

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Drain container thoroughly.

After draining, vent in a safe place away from sparks and fire.

Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.

Send to drum recoveree or metal reclaimer.

Comply with any local recovery or waste disposal regulations

SECTION 14: Transport information

14.1 UN number: No Data

14.2 UN proper shipping name: No Data14.3 Transport hazard class(es): No Data14.4 Packaging group: No data available

14.5 Environmental hazards: NO

14.6 Special precautions for user: No Data.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

15.2 Chemical Safety Assessment

No data available.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

None.

Full text of R-phrases referred to under sections 2 and 3

P101: If medical advice is needed, have product container or label at hand.



משרד: 972-3-9027080 +972-3-9027077 בקס: רח' המלאכה 17 רח' המלאכה אל העון 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



Joe's PTFE Lube (Drop) For Dry Conditions

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2022 Revision date: 01/12/2022

P102: Keep out of reach of children.

P103: Read label before use.

Further information

This information was gathered from the raw materials suppliers. It is the user responsibly to verify the data and to use this product according to its requirements and instructions. Adhestick Innovations LTD or its employees will not be held responsible for any damage caused by the use of this information and/or the product.

Update: May, 2024



+972-3-9027080 משרד: +972-3-9027077 פקס: רח' המלאכה 17 ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



<u>Joe's PTFE Lube (Drop) For Dry Conditions</u>
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 01/08/2022 Revision date: 01/12/2022



+972-3-9027080 משרד: +972-3-9027077 פקס: 17 המלאכה רח' המלאכה ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



Joe's PTFE Lube (Drop) For Dry Conditions

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2022 Revision date: 01/12/2022

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number: Not Relevant.

14.2 UN proper shipping name: No dangerous goods

14.3 Transport hazard class(es): Not Relevant

14.4 Packaging group: Not Relevant

14.5 Environmental hazards: Not Relevant14.6 Special precautions for user: Not Relevant

14.7 Maritime Transport in bulk according to IMO Instruments: Not relevant

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical Safety Assessment

No data.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H304 – May be fatal if swallowed and enters airways.

Full text of P-phrases referred to under sections 2 and 3

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 - Do NOT induce vomiting.

Further information

This information was gathered from the raw materials suppliers. It is the user responsibly to verify the data and to use this product according to its requirements and instructions. Adhestick Innovations LTD or its employees will not be held responsible for any damage caused by the use of this information and/or the product.